

HEWF

Hybrid Engineered Wood Flooring



ARVELLO
WOOD


This is how our Arvello Wood Flooring looks like

Scratch-Resistant Coating
- 8 layers of world-class UV lacquer

Unilin Locking System
- Licensed locking system for easy
DIY installation

Backing Layer
- Balance the pressure of floor
- Improve the dimensional stability

Attached Underlay
- No need for a separate underlay
- Lower installation cost
- Reduced installation time



**Real Wood Timber with a
Balanced Moisture Content**
- Various genuine timber
- Balanced moisture content
- Minimal risk of cupping and
warping

SMART CORE TECHNOLOGY
- High density (1.9-2.0g/cm³) for
extra stability
- No expansion or contraction
- Can be installed anywhere




SGS

CE



Uniclic Locking Technology




Patented German locking technology allows stronger locking strength, ease of installation and seamless joints.




Why choose ?

Hybrid Engineered Wood Flooring

Get the beauty of natural wood with added durability, water resistance, and easy installation.

Perfect for every room in your home.





Advantages Hybrid Engineered Wood Flooring

Authentic Wood-Look Finish

Our hybrid engineered wood flooring offers the stunning appearance of real wood without the drawbacks. Featuring a high-quality, actual wood surface layer, it replicates the natural beauty of hickory, oak, maple, and more, providing the warmth and elegance of traditional hardwood.

To enhance the visual appeal, our flooring comes with various surface effects, including hand-scraped textures for a time-worn appearance, distressed finishes for a rustic look, or wire-brushed detailing for added character.




Advantages Hybrid Engineered Wood Flooring

Scratch and Stain-Resistant

Another key advantage of hybrid engineered wood flooring is its superior scratch and stain resistance.

The durable top layer is designed to withstand the demands of daily life, making it ideal for homes, with pets, children, or high foot traffic.

This protective layer ensures that your flooring maintains its beautiful appearance for years to come, with minimal maintenance required.





Advantages Hybrid Engineered Wood Flooring

Exceptionally Water Resistant

Our hybrid engineered wood flooring offers superior stability and resistance to temperature and moisture variations. With a rigid core base, it delivers durability while beautifully mimicking solid wood with a high-quality, wood-look surface.


Thanks to advanced manufacturing, this flooring is perfect for any room, including moisture-prone areas like basements and bathrooms. Unlike traditional wood, it doesn't expand or contract, making it a versatile and reliable choice for any space.

Advantages Hybrid Engineered Wood Flooring

Easy installation

Hybrid engineered wood flooring features the Unilic Click System, which is backed by international patents.

Its installation process is straightforward and convenient, making it ideal for both DIY enthusiasts and professional installers. Quick to lay and easy to handle, it seamlessly accommodates a variety of projects.



Products and Colours



AW851
Ivory Oak

165mm

PRODUCT SPECIFICATION

1.2mm Wood Veneer+5.5mm SPC+1.5mm IXPE



AW851
Ivory Oak



AW852
Saffon Teak


165mm

PRODUCT SPECIFICATION

1.2mm Wood Veneer+5.5mm SPC+1.5mm IXPE



AW862
Saffon Teak



AW853
Herritage Oak

165mm

PRODUCT SPECIFICATION

1.2mm Wood Veneer+5.5mm SPC+1.5mm IXPE



AW853
Herritage Oak



AW854
Vittoria Oak

165mm

PRODUCT SPECIFICATION

1.2mm Wood Veneer+5.5mm SPC+1.5mm IXPE



AW854
Vittoria Oak

Products and Colours



AW855
Mocha Oak

PRODUCT SPECIFICATION

1.2mm Wood Veneer+5.5mm SPC+1.5mm IXPE



165mm

AW855
Mocha Oak



AW856
Misty Oak

PRODUCT SPECIFICATION

1.2mm Wood Veneer+5.5mm SPC+1.5mm IXPE



165mm

AW856
Misty Oak



AW857
Stormy Grey

PRODUCT SPECIFICATION

1.2mm Wood Veneer+5.5mm SPC+1.5mm IXPE



165mm

AW857
Stormy Grey



AW858
American Walnut

PRODUCT SPECIFICATION

1.2mm Wood Veneer+5.5mm SPC+1.5mm IXPE



165mm

AW858
American Walnut

Contact Us



www.simplywood.com.sg



sales@simplywood.com.sg



<https://www.facebook.com/simplywoodpteltd>



SIMPLY WOOD

FLOOR ARTISANS SINCE 1995